

Lichenoid Dermatitis

Paul K. Shitabata, M.D.
Dermatopathologist
Pathology Inc.

Inflammatory Cell Type

Lichenoid Dermatitis

Superficial/Deep

Follicular Involvement






SFS






©1995 Cornell University Medical College




©1995 Cornell University Medical College



Lichen Planus

Histopathology




- Epidermal hyperplasia
- Hypergranulosis
- Usually no parakeratosis
- Saw tooth interface
- Lymphocytes

©1995 Cornell University Medical College








Erythema Multiforme

Histopathology




- Sparse lichenoid interface
- Dyskeratotic cells
- May have eos



AUTHENTIC PLACE
100% QUALITY JEANS


FCC



Sparse lymphocytic infiltration of the dermis


Graft Versus Host Disease


Histopathology




- Cell poor infiltrate
- Satellitosis
- Late changes of scleroderma










Histopathology





- Parakeratosis
- Superficial and deep PV
- Lichenoid interface
- Lymphocytes
- Lymphocytic vasculitis?





















Discoid Lupus Erythematosus


Histopathology





- Follicular plugging
- Epidermal atrophy
- Solar elastosis
- SDPV
- Interface changes
- Periadnexal infiltrate
- Dermal mucinosis















Mycosis Fungoides

Histopathology



- Intercalation of basal keratinocytes with lymphocytes
- Pautrier microabscesses
- Intraepithelial lymphocytes larger than intradermal

Additional Lichenoid Diseases



Fixed Drug Reaction



Dermatophytosis



Contact Dermatitis



(c) University Erlangen,
Department of Dermatology
Phone: (+49) 9131-85-2727



(c) University Erlangen,
Department of Dermatology
Phone: (+49) 9131-85-2727

Photoallergic Dermatitis

Inflammatory Cell Type

Lichenoid Dermatitis

Superficial/Deep

Follicular Involvement